



# ***STIC Search Report***

## ***EIC 3600***

**STIC Database Tracking Number: 94803**

**TO: Patricia Volpe  
Location: Suite 804  
Art Unit : 3600  
Friday, May 21, 2004**

**Case Serial Number: 10/728220**

**From: Etelka Griffin  
Location: EIC 3600  
PK5-Suite 804  
Phone: 308-4211**

**Etelka.griffin@uspto.gov**

### **Search Notes**

#### **LITIGATION SEARCH**



Source: [Legal](#) > [Area of Law - By Topic](#) > [Patent Law](#) > [Patents](#) > [U.S. Patents](#) > [Utility, Design and Plant Patents](#)   
Terms: **patno=5806605** ([Edit Search](#))

740374 (08) 5806605 September 15, 1998

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

**5806605**

♦ [GET 1st DRAWING SHEET OF 7](#)

[Access PDF of Official Patent \\*](#)

[Check for Patent Family Report PDF availability \\*](#)

\* Note: A transactional charge will be incurred for downloading an Official Patent or Patent Family Report. Your acceptance of this charge occurs in a later step in your session. The transactional charge for downloading is outside of customer subscriptions; it is not included in any flat rate packages.

[Link to Claims Section](#)

September 15, 1998

Implement for preparing seedbeds

**REISSUE:** December 4, 2003 - Reissue Application filed Ex. Gp.: 3616; Re. S.N. 10/728,220 (O.G. March 2, 2004)

**APPL-NO:** 740374 (08)


**FILED-DATE:** October 29, 1996

**GRANTED-DATE:** September 15, 1998

**CORE TERMS:** soil, scarifying, main frame, teeth, subframe, tines, blade, lip, aperture, socket ...

**ENGLISH-ABST:**

An implement for preparing seedbeds and lawns includes a main frame member upon which are mounted scarifying teeth to penetrate the soil and tines which work the soil and prepare the final grade after the soil has been scarified. A subframe is pivotally mounted on the main frame and carries a grading blade ahead of the scarifying teeth when the implement is move in the forward direction. The blade is allowed to float relative to the main frame on the subframe to thereby knock down vegetation, remove rocks and lightly grade the soil. The subframe can be moved relative the main frame to a position lifting the scarifying teeth and the tines off of the ground and allowing the blade to provide a deeper grading of the soil or the subframe may be moved to a position lifting the blade off of the soil so that the soil is contacted only by the scarifying teeth and the tines. The implement can also be used to transfer soil to fill in low places, as the main frame member upon which the tines and scarifying teeth are mounted have a pair of intersecting lips which with the tines define a scoop that is capable of picking up limited amounts of soil and transferring the soil to low places when the implement is moved in the backward direction.

Source: [Legal](#) > [Area of Law - By Topic](#) > [Patent Law](#) > [Patents](#) > [U.S. Patents](#) > [Utility, Design and Plant Patents](#) 

Terms: **patno=5806605** ([Edit Search](#))

View: **Custom**

Segments: Appl-no, English-abst, Granted-date, Reissue  
Date/Time: Thursday, May 13, 2004 - 11:52 AM EDT

[About LexisNexis](#) | [Terms and Conditions](#)

[Copyright © 2004 LexisNexis](#), a division of Reed Elsevier Inc. All rights reserved.

*Patent, Trademark & Copyright  
Periodicals, Combined*

## No Documents Found!

No documents were found for your search (5806605 OR 5,806,605).  
Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

---

Edit Search

[About LexisNexis](#) | [Terms and Conditions](#)

Copyright © 2004 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

## No Documents Found!

No documents were found for your search (5806605 OR 5,806,605).  
Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

---

[Edit Search](#)

[About LexisNexis](#) | [Terms and Conditions](#)

Copyright © 2004 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

**Current session 14/05/2004 QWEB Questel-Orbit**

**Query/Command : PRT SS 1 MAX 1 LEGALALL**

---

*1 / 1 PLUSPAT - ©QUESTEL-ORBIT - image*

**Patent Number :**

US5806605 A 19980915 [US5806605]

**Title :**

(A) Implement for preparing seedbeds

**Patent Assignee :**

(A) HYDROSEED MFG INC (US)

**Patent Assignee :**

Hydroseed Manufacturing, Incorporated, Granger IN [US]

**Inventor(s) :**

(A) KEIGLEY KEVIN V (US)

**Application Nbr :**

US74037496 19961029 [1996US-0740374]

**Priority Details :**

US74037496 19961029 [1996US-0740374]

**Intl Patent Class :**

(A) E02F-003/76

**EPO ECLA Class :**

A01B-049/02

E02F-003/76D

E02F-003/76F

**US Patent Class :**

ORIGINAL (O) : 172145000; CROSS-REFERENCE (X) : 172197000

172198000 172200000 172445100 172449000 172683000 172684500

**Document Type :**

Basic

**Citations :**

US3122209; US3336685; US4320988; US4333250; US4869326;

US4886124; US4924945; US5397200; FR1314296; FR2587580;

GB2129034

**Publication Stage :**

(A) United States patent

**Abstract :**

An implement for preparing seedbeds and lawns includes a main frame member upon which are mounted scarifying teeth to penetrate the soil and tines which work the soil and prepare the final grade after the soil has been scarified. A subframe is pivotally mounted on the main frame and carries a grading blade ahead of the scarifying teeth when the implement is move in the forward direction. The blade is allowed to float relative to the main frame on the subframe to thereby knock down vegetation, remove rocks and lightly grade the soil. The subframe can be moved relative the main frame to a position lifting the scarifying teeth and the tines off of the ground and allowing the blade to provide a deeper grading of the soil or the subframe may be moved to a position lifting the blade off of the soil so that the soil is contacted only by the scarifying teeth and the tines. The implement can also be used to transfer soil to fill in low places, as the main frame member upon which the tines and scarifying teeth are mounted have a pair of intersecting lips which with the tines define a scoop that is capable of picking up limited amounts of soil and transferring the soil to low places when the implement is moved in the backward direction.

---

1 / 1 LGST - ©EPO

**Patent Number :**

US5806605 A 19980915 [US5806605]

**Application Number :**

US74037496 19961029 [1996US-0740374]

**Action Taken :**

19961029 US/AS02-A

ASSIGNMENT OF ASSIGNOR'S INTEREST

OWNER: HYDROSEED MANUFACTURING, INCORPORATED 52060  
FALCON; EFFECTIVE DATE: 19961028

19961029 US/AS02-A

ASSIGNMENT OF ASSIGNOR'S INTEREST

OWNER: KEIGLEY, KEVIN V.; EFFECTIVE DATE: 19961028

19970714 US/AS02-A

ASSIGNMENT OF ASSIGNOR'S INTEREST

OWNER: HYDROSEED INNOVATIONS, INC. 10880 MCKINLEY  
HWY. OS; EFFECTIVE DATE: 19970702

19970714 US/AS02-A

ASSIGNMENT OF ASSIGNOR'S INTEREST

OWNER: HYDROSEED MANUFACTURING, INC.; EFFECTIVE DATE:  
19970702

20040302 US/RF-A  
REISSUE APPLICATION FILED  
EFFECTIVE DATE: 20031204

**Update Code :**

2004-11

---

1 / 1 CRXX - ©CLAIMS/RRX

**Patent Number :**

5,806,605 A 19980915 [US5806605]

**Patent Assignee :**

Hydroseed Mfg Inc

**Actions :**

20031204 REISSUE REQUESTED  
ISSUE DATE OF O.G.: 20040302  
REISSUE REQUEST NUMBER: 10/728220  
EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3616

Reissue Patent Number:

---

1 / 1 INPADOC - ©INPADOC

**Patent Number :**

US 5806605 A 19980915 [US5806605]

**Title :**

IMPLEMENT FOR PREPARING SEEDBEDS

**Inventor(s) :**

KEIGLEY KEVIN V [US]

**Patent Assignee (Words) :**

HYDROSEED MFG INC [US]

**Application Details :**

US 740374/96-A 19961029 [1996US-0740374]

**Priority Details :**

US 740374/96-A 19961029 [1996US-0740374]



**Intl. Patent Class. :**

E02F-003/76

**WPI Cross Reference :**

1998-519651 (G)

---

*1 / 1 LGST - ©EPO*

**Patent Number :**

US5806605 A 19980915 [US5806605]

**Application Number :**

US74037496 19961029 [1996US-0740374]

**Action Taken :**

19961029 US/AS02-A  
ASSIGNMENT OF ASSIGNOR'S INTEREST  
OWNER: HYDROSEED MANUFACTURING, INCORPORATED 52060  
FALCON; EFFECTIVE DATE: 19961028

19961029 US/AS02-A  
ASSIGNMENT OF ASSIGNOR'S INTEREST  
OWNER: KEIGLEY, KEVIN V.; EFFECTIVE DATE: 19961028

19970714 US/AS02-A  
ASSIGNMENT OF ASSIGNOR'S INTEREST  
OWNER: HYDROSEED INNOVATIONS, INC. 10880 MCKINLEY  
HWY. OS; EFFECTIVE DATE: 19970702

19970714 US/AS02-A  
ASSIGNMENT OF ASSIGNOR'S INTEREST  
OWNER: HYDROSEED MANUFACTURING, INC.; EFFECTIVE DATE:  
19970702

20040302 US/RF-A  
REISSUE APPLICATION FILED  
EFFECTIVE DATE: 20031204

**Update Code :**

2004-11